

## **DUCKHAMS ADMAX L Greases**

### **PRODUCT DESCRIPTION**

Duckhams Admax - L greases are lithium soap based, multi-purpose greases, made from high quality hydro-treated base oils and performance additives. Lithium soap greases provide good structural stability, resistance to water washout and effective from wear and corrosion for automotive application.

Duckhams Admax - L greases are mainly for plain or rolling element applications operating under low load, or where shock loading is not expected, such as wheel bearings, chassis points, universal joints and industrial equipment applications. It may be suitable for passenger cars, vans, trucks, farm tractors, general industrial equipment and machine tools.

---

### **FEATURES AND BENEFITS**

- Good mechanical stability means that the grease will remain in grade, and stay where applied longer than a grease with poor mechanical stability, extending the re lubrication interval.
- Outstanding water resistance indicates that the grease is suitable for use in applications where limited exposure to water can be expected.
- Good thermal stability means that grease can be used at higher temperatures, up to 130°C, without causing the grease to fail.
- Good anti-corrosion and anti-rust properties ensures that the grease protects against corrosion and rust, even in applications where limited exposure to water can be expected.
- Good pumpability means that the grease will have dispensing characteristics.

---

### **SPECIFICATIONS AND APPROVALS**

Can be used where greases meeting the following specification is required;

**ASTM D4950 – LA-GA**

---

**TYPICAL PHYSICAL CHARACTERISTICS**

Property	Unit	Typical Data	
		NLGI 2	NLGI 3
NLGI Consistency	-		
Texture	Visual	Smooth	
Colour	Visual	Yellow	
Soap Type	-	Lithium	
Base oil Viscosity @ 40°C	cSt	130	
Drop Point	°C	197	199
Unworked Penetration @ 25°C	mm/10	277	242
Worked Penetration @ 25° C	mm/10	272	239
Cu Strip Corrosion 24hrs @100°C	-	1b	1b
Operating Temperature Range	°C	-20 to +130	

Typical physical characteristics are provided as indication of properties based on current production data only, and should not be construed as a specification. Acceptable variation may occur during the manufacturing process without affecting the performance of the lubricant. This data can change without notification. Current version of this data supersedes all previous versions.

**HEALTH, SAFETY AND ENVIRONMENT**

Based on available information this product is not expected to present a significant health and safety hazard when used in the recommended applications and in accordance with the recommendations in the Safety Data Sheet. Safety Data Sheet available on request through your sales agent, or from the internet. Avoid prolonged or repeated contact with greases. Wash skin thoroughly after contact. Protect the environment. Dispose of product and packaging in accordance with local regulations.

**STORAGE AND HANDLING**

Packed lubricants should be stored under cover. Where outside storage of drums is unavoidable, they should be laid horizontal to avoid water ingress. Product should not be stored in direct sunlight or excessively high, or low, temperatures. Duckhams can provide professional advice on the storage of lubricants.