

DUCKHAMS Q 15W-40 SN PLUS

PRODUCT DESCRIPTION

Duckhams Q 15W-40 SN PLUS is a mineral-based engine lubricant formulated using updated additive technology and high-quality virgin base oils to meet older specifications and provide reliable protection for modern passenger cars.

Duckhams Q 15W-40 SN PLUS is multi-grade engine oil, suitable for year-round use, formulated to provide excellent engine cleanliness reducing sludge and deposit formation. It provides reliable anti-wear and corrosion protection and ideal lubrication at elevated temperature and ensures low oil consumption ensuring the correct level of protection throughout the oil drain interval.



FEATURES AND BENEFITS

- Good anti-wear performance provides reliable protection in all conditions, irrespective of driving style, reducing component wear and extending component and engine life.
- Excellent thermal stability ensures that the oil offers outstanding protection throughout the oil drain interval.
- Excellent engine cleanliness reduces deposits and sludges maintaining engine performance throughout the oil drain interval, extending engine life.
- High quality, low volatility, base oils ensure low oil consumption and reduced emissions, minimising environmental impact and running costs.
- Multi-grade engine oil, suitable for year-round use.
- Protects engines against damage caused by Low-Speed Pre-Ignition (LSPI).
- Original, distinctive, Duckhams green colour.

SPECIFICATIONS AND APPROVALS

Can be used where the following specification is required:

API SN PLUS

TYPICAL PHYSICAL CHARACTERISTICS

Property	Unit	Typical Data
Viscosity Grade	-	15W-40
Colour	-	Green
Viscosity @ 100 °C	cSt	14.40
Viscosity @ 40 °C	cSt	106.4
Viscosity Index	-	138
CCS @ -20 °C	cP	5,253
Flash Point (Closed Cup)	°C	214
Pour Point	°C	-33
Total Base Number	mgKOH/g	7.4
Density @ 15 °C	Kg/L	0.8701

Typical physical characteristics are provided as an indication of properties based on current production data only, and should not be construed as a specification. Acceptable variation may occur during the manufacturing process without affecting the performance of the lubricant. This data can change without notification. Current version of this data supersedes all previous versions.

HEALTH, SAFETY AND ENVIRONMENT

Based on available information this product is not expected to present a significant health and safety hazard when used in the recommended applications and in accordance with the recommendations in the Safety Data Sheet. Safety Data Sheet available on request through your sales agent, or from the internet. Avoid prolonged or repeated contact with engine oils. Wash skin thoroughly after contact.

Protect the environment. Dispose of product and packaging in accordance with local regulations.

STORAGE AND HANDLING

Packed lubricants should be stored under cover. Where outside storage of drums is unavoidable, they should be laid horizontal to avoid water ingress. Product should not be stored in direct sunlight or excessively high, or low, temperatures. Duckhams can provide professional advice on the storage of lubricants.
