


## PRODUCT DESCRIPTION

### QS 5W-20 FJL

QS 5W-20 FJL is a high-quality fully synthetic engine oil developed to enhance fuel efficiency and ensure consistent engine protection. It performs reliably across a wide range of temperatures, supporting smooth startups and clean engine operation. Ideal for modern engines helps reduce wear, maintain performance, and protect emission control systems.



## FEATURES AND BENEFITS

- Promotes better fuel economy and responsive engine performance
- Offers reliable protection during cold starts and everyday driving
- Helps reduce engine wear and supports long engine life
- Keeps the engine clean and running efficiently over time
- Compatible with emission control technologies for lower environmental impact
- Maintains stability under high temperatures and heavy load conditions

## SPECIFICATIONS

API SP;  
ACEA C5.

Ford WSS-M2C948-B;  
STJLR.03.5004.

## TYPICAL PHYSICAL CHARACTERISTICS

Property	Unit	Typical Data
Viscosity		5W-20
Density @ 20°C	Kg/m <sup>3</sup>	0.851
KV100	cSt	7.9
KV40	cSt	42.9
VI	-	157
CCS	cP	4228
TBN		8
Sulphated Ash	%	0.8
Colour		Clear Amber
Flash (Closed)	°C	204
Pour Point	°C	-36

## HEALTH, SAFETY AND ENVIRONMENT

Based on available information this product is not expected to present a significant health and safety hazard when used in the recommended applications and in accordance with the recommendations in the Safety Data Sheet. Safety Data Sheet available on request through your sales agent, or from the internet. Avoid prolonged or repeated contact with engine oils. Wash skin thoroughly after contact.

Protect the environment. Dispose of product and packaging in accordance with local regulations.

## STORAGE AND HANDLING

Packed lubricants should be stored under cover. Where outside storage of drums is unavoidable, they should be laid horizontal to avoid water ingress. Product should not be stored in direct sunlight or excessively high, or low, temperatures. Duckhams can provide professional advice on the storage of lubricants.